



| Bezeichnung | Anzahl der Zähne | Ausführung | Material | D _p (mm) | D _e (mm) | D _f (mm) | F (mm) | L (mm) | D _m (mm) | D _i (mm) | Vorbereitung d (mm) | Fertigbohrung d _{max} (mm) | Gewicht (≈kg) |
|---|------------------|------------|----------|---------------------|---------------------|---------------------|--------|--------|---------------------|---------------------|---------------------|-------------------------------------|---------------|
| 14M - Teilung 14 mm für Riemenbreite 40 mm | | | | | | | | | | | | | |
| 28 14M 40 | 28 | 6F | ST | 124,78 | 122,12 | 128 | 54 | 69 | 100 | - | 24 | 60 | 4,730 |
| 29 14M 40 | 29 | 6F | ST | 129,23 | 126,57 | 138 | 54 | 69 | 100 | - | 24 | 60 | 5,090 |
| 30 14M 40 | 30 | 6F | ST | 133,69 | 130,99 | 138 | 54 | 69 | 100 | - | 24 | 60 | 5,450 |
| 32 14M 40 | 32 | 6F | ST | 142,60 | 139,88 | 154 | 54 | 69 | 100 | - | 24 | 70 | 6,170 |
| 34 14M 40 | 34 | 6F | ST | 151,52 | 148,79 | 160 | 54 | 69 | 100 | - | 24 | 70 | 6,880 |
| 36 14M 40 | 36 | 6F | ST | 160,43 | 157,68 | 168 | 54 | 69 | 100 | - | 24 | 70 | 7,600 |
| 38 14M 40 | 38 | 6F | ST | 169,34 | 166,60 | 183 | 54 | 69 | 120 | - | 24 | 70 | 8,280 |
| 40 14M 40 | 40 | 6F | ST | 178,25 | 175,49 | 188 | 54 | 69 | 120 | - | 24 | 70 | 9,260 |
| 44 14M 40 | 44 | 6F | ST | 196,08 | 193,28 | 211 | 54 | 69 | 120 | - | 24 | 70 | 10,320 |
| 48 14M 40 | 48 | 6WF | GG | 213,90 | 211,11 | 226 | 54 | 69 | 135 | 170 | 24 | 70 | 11,500 |
| 56 14M 40 | 56 | 6WF | GG | 249,55 | 246,76 | 256 | 54 | 69 | 135 | 207 | 28 | 70 | 13,050 |
| 64 14M 40 | 64 | 6WF | GG | 285,21 | 282,41 | 296 | 54 | 69 | 135 | 240 | 28 | 70 | 14,400 |
| 72 14M 40 | 72 | 6A | GG | 320,86 | 318,06 | - | 54 | 69 | 135 | 280 | 28 | 70 | 16,900 |
| 80 14M 40 | 80 | 6A | GG | 356,51 | 353,71 | - | 54 | 69 | 135 | 314 | 28 | 70 | 18,500 |
| 90 14M 40 | 90 | 6A | GG | 401,07 | 398,28 | - | 54 | 69 | 135 | 358 | 28 | 70 | 20,000 |
| 112 14M 40* | 112 | 6A | GG | 499,11 | 496,32 | - | 54 | 69 | 135 | 456 | 28 | 70 | 26,700 |
| 144 14M 40* | 144 | 6A | GG | 641,71 | 638,92 | - | 54 | 69 | 135 | 600 | 28 | 70 | 35,000 |
| 168 14M 40* | 168 | 6A | GG | 748,66 | 745,87 | - | 54 | 69 | 135 | 706 | 28 | 70 | 44,200 |
| 192 14M 40* | 192 | 6A | GG | 855,62 | 852,82 | - | 54 | 69 | 135 | 813 | 28 | 70 | 52,200 |
| 216 14M 40* | 216 | 6A | GG | 962,57 | 959,76 | - | 54 | 69 | 150 | 920 | 28 | 80 | 60,000 |
| 14M - Teilung 14 mm für Riemenbreite 55 mm | | | | | | | | | | | | | |
| 28 14M 55 | 28 | 6F | ST | 124,78 | 122,12 | 128 | 70 | 85 | 100 | - | 24 | 60 | 5,600 |
| 29 14M 55 | 29 | 6F | ST | 129,23 | 126,57 | 138 | 70 | 85 | 100 | - | 24 | 60 | 6,100 |
| 30 14M 55 | 30 | 6F | ST | 133,69 | 130,99 | 138 | 70 | 85 | 100 | - | 24 | 60 | 6,600 |
| 32 14M 55 | 32 | 6F | ST | 142,60 | 139,88 | 154 | 70 | 85 | 100 | - | 24 | 70 | 7,600 |
| 34 14M 55 | 34 | 6F | ST | 151,52 | 148,79 | 160 | 70 | 85 | 100 | - | 24 | 70 | 8,600 |
| 36 14M 55 | 36 | 6F | ST | 160,43 | 157,68 | 168 | 70 | 85 | 100 | - | 24 | 70 | 9,600 |
| 38 14M 55 | 38 | 6F | ST | 169,34 | 166,60 | 183 | 70 | 85 | 120 | - | 24 | 70 | 10,800 |
| 40 14M 55 | 40 | 6F | ST | 178,25 | 175,49 | 188 | 70 | 85 | 120 | - | 24 | 70 | 11,200 |
| 44 14M 55 | 44 | 6F | ST | 196,08 | 193,28 | 211 | 70 | 85 | 120 | - | 24 | 70 | 12,500 |
| 48 14M 55 | 48 | 10WF | GG | 213,90 | 211,11 | 226 | 70 | 70 | 135 | 170 | 24 | 70 | 13,700 |
| 56 14M 55 | 56 | 10WF | GG | 249,55 | 246,76 | 256 | 70 | 70 | 135 | 207 | 28 | 70 | 14,500 |
| 64 14M 55 | 64 | 10WF | GG | 285,21 | 282,41 | 296 | 70 | 70 | 135 | 240 | 28 | 70 | 15,600 |
| 72 14M 55 | 72 | 10A | GG | 320,86 | 318,06 | - | 70 | 70 | 135 | 280 | 28 | 70 | 18,500 |
| 80 14M 55 | 80 | 10A | GG | 356,51 | 353,71 | - | 70 | 70 | 135 | 314 | 28 | 70 | 20,000 |
| 90 14M 55 | 90 | 10A | GG | 401,07 | 398,28 | - | 70 | 70 | 135 | 358 | 28 | 70 | 22,600 |
| 112 14M 55* | 112 | 10A | GG | 499,11 | 496,32 | - | 70 | 70 | 135 | 456 | 28 | 70 | 29,500 |
| 144 14M 55* | 144 | 10A | GG | 641,71 | 638,92 | - | 70 | 70 | 135 | 600 | 28 | 70 | 39,000 |
| 168 14M 55* | 168 | 10A | GG | 748,66 | 745,87 | - | 70 | 70 | 135 | 706 | 28 | 70 | 48,500 |
| 192 14M 55* | 192 | 10A | GG | 855,62 | 852,82 | - | 70 | 70 | 135 | 813 | 28 | 70 | 57,800 |
| 216 14M 55* | 216 | 10A | GG | 962,57 | 959,76 | - | 70 | 70 | 150 | 920 | 28 | 80 | 67,000 |
| 14M - Teilung 14 mm für Riemenbreite 85 mm | | | | | | | | | | | | | |
| 28 14M 85 | 28 | 6F | ST | 124,78 | 122,12 | 128 | 102 | 202 | 100 | - | 24 | 60 | 7,700 |

| Bezeichnung | Anzahl der Zähne | Ausführung | Material | D _p (mm) | D _e (mm) | D _f (mm) | F (mm) | L (mm) | D _m (mm) | D _i (mm) | Vorbohrung d (mm) | Fertigbohrung d _{max} (mm) | Gewicht (≈kg) |
|--|------------------|------------|----------|---------------------|---------------------|---------------------|--------|--------|---------------------|---------------------|-------------------|-------------------------------------|---------------|
| 29 14M 85 | 29 | 6F | ST | 129,23 | 126,57 | 138 | 102 | 117 | 100 | - | 24 | 60 | 8,400 |
| 30 14M 85 | 30 | 6F | ST | 133,69 | 130,99 | 138 | 102 | 117 | 100 | - | 24 | 60 | 9,100 |
| 32 14M 85 | 32 | 6F | ST | 142,60 | 139,88 | 154 | 102 | 117 | 100 | - | 24 | 60 | 10,500 |
| 34 14M 85 | 34 | 6F | ST | 151,52 | 148,79 | 160 | 102 | 117 | 100 | - | 24 | 70 | 11,900 |
| 36 14M 85 | 36 | 6F | ST | 160,43 | 157,68 | 168 | 102 | 117 | 100 | - | 32 | 70 | 13,200 |
| 38 14M 85 | 38 | 6F | ST | 169,34 | 166,60 | 183 | 102 | 117 | 120 | - | 32 | 70 | 15,150 |
| 40 14M 85 | 40 | 6F | ST | 178,25 | 175,49 | 188 | 102 | 117 | 135 | - | 32 | 70 | 17,100 |
| 44 14M 85 | 44 | 6F | ST | 196,08 | 193,28 | 211 | 102 | 117 | 135 | - | 32 | 70 | 23,300 |
| 48 14M 85 | 48 | 6F | ST | 213,90 | 211,11 | 226 | 102 | 117 | 150 | - | 32 | 80 | 25,000 |
| 56 14M 85 | 56 | 10WF | GG | 249,55 | 246,76 | 256 | 102 | 102 | 150 | 207 | 32 | 80 | 25,000 |
| 64 14M 85 | 64 | 10WF | GG | 285,21 | 282,41 | 296 | 102 | 102 | 150 | 242 | 32 | 80 | 28,200 |
| 72 14M 85 | 72 | 10A | GG | 320,86 | 318,06 | - | 102 | 102 | 150 | 278 | 32 | 80 | 28,800 |
| 80 14M 85 | 80 | 10A | GG | 356,51 | 353,71 | - | 102 | 102 | 150 | 314 | 32 | 80 | 30,100 |
| 90 14M 85 | 90 | 10A | GG | 401,07 | 398,28 | - | 102 | 102 | 150 | 358 | 32 | 80 | 33,000 |
| 112 14M 85* | 112 | 10A | GG | 499,11 | 496,32 | - | 102 | 102 | 150 | 456 | 32 | 80 | 41,800 |
| 144 14M 85* | 144 | 10A | GG | 641,71 | 638,92 | - | 102 | 102 | 150 | 600 | 32 | 80 | 52,400 |
| 168 14M 85* | 168 | 10A | GG | 748,66 | 745,87 | - | 102 | 102 | 150 | 706 | 32 | 80 | 60,300 |
| 192 14M 85* | 192 | 10A | GG | 855,62 | 852,82 | - | 102 | 102 | 165 | 813 | 32 | 90 | 70,200 |
| 216 14M 85* | 216 | 10A | GG | 962,57 | 959,76 | - | 102 | 102 | 160 | 920 | 32 | 90 | 81,000 |
| 14M - Teilung 14 mm für Riemenbreite 115 mm | | | | | | | | | | | | | |
| 28 14M 115 | 28 | 6F | ST | 124,78 | 122,12 | 128 | 133 | 148 | 100 | - | 32 | 60 | 9,200 |
| 29 14M 115 | 29 | 6F | ST | 129,23 | 126,57 | 138 | 133 | 148 | 100 | - | 32 | 60 | 10,200 |
| 30 14M 115 | 30 | 6F | ST | 133,69 | 130,99 | 138 | 133 | 148 | 100 | - | 32 | 60 | 11,200 |
| 32 14M 115 | 32 | 6F | ST | 142,60 | 139,88 | 154 | 133 | 148 | 100 | - | 32 | 60 | 13,200 |
| 34 14M 115 | 34 | 6F | ST | 151,52 | 148,79 | 160 | 133 | 148 | 100 | - | 32 | 70 | 14,800 |
| 36 14M 115 | 36 | 6F | ST | 160,43 | 157,68 | 168 | 133 | 148 | 120 | - | 32 | 70 | 16,600 |
| 38 14M 115 | 38 | 6F | ST | 169,34 | 166,60 | 183 | 133 | 148 | 120 | - | 32 | 70 | 19,200 |
| 40 14M 115 | 40 | 6F | ST | 178,25 | 175,49 | 188 | 133 | 148 | 135 | - | 32 | 70 | 22,100 |
| 44 14M 115 | 44 | 6F | ST | 196,08 | 193,28 | 211 | 133 | 148 | 140 | - | 32 | 80 | 28,000 |
| 48 14M 115 | 48 | 6F | ST | 213,90 | 211,11 | 226 | 133 | 148 | 150 | - | 32 | 80 | 35,000 |
| 56 14M 115 | 56 | 6F | ST | 249,55 | 246,76 | 256 | 133 | 148 | 150 | - | 32 | 80 | 44,200 |
| 64 14M 115 | 64 | 10WF | GG | 285,21 | 282,41 | 296 | 133 | 133 | 150 | 240 | 32 | 80 | 36,800 |
| 72 14M 115 | 72 | 10A | GG | 320,86 | 318,06 | - | 133 | 133 | 150 | 278 | 32 | 80 | 36,100 |
| 80 14M 115 | 80 | 10A | GG | 356,51 | 353,71 | - | 133 | 133 | 150 | 314 | 32 | 80 | 38,600 |
| 90 14M 115 | 90 | 10A | GG | 401,07 | 398,28 | - | 133 | 133 | 150 | 358 | 32 | 80 | 41,000 |
| 112 14M 115* | 112 | 10A | GG | 499,11 | 496,32 | - | 133 | 133 | 150 | 456 | 32 | 80 | 54,400 |
| 144 14M 115* | 144 | 10A | GG | 641,71 | 638,92 | - | 133 | 133 | 165 | 600 | 32 | 90 | 67,800 |
| 168 14M 115* | 168 | 10A | GG | 748,66 | 745,87 | - | 133 | 133 | 165 | 706 | 32 | 90 | 75,800 |
| 192 14M 115* | 192 | 10A | GG | 855,62 | 852,82 | - | 133 | 133 | 165 | 813 | 32 | 90 | 88,300 |
| 216 14M 115* | 216 | 10A | GG | 962,57 | 959,76 | - | 133 | 133 | 165 | 920 | 32 | 90 | 98,000 |
| 14M - Teilung 14 mm für Riemenbreite 170 mm | | | | | | | | | | | | | |
| 28 14M 170* | 28 | 6F | ST | 124,78 | 122,12 | 128 | 187 | 202 | 100 | - | 32 | 60 | 13,800 |
| 29 14M 170* | 29 | 6F | ST | 129,23 | 126,57 | 138 | 187 | 202 | 100 | - | 32 | 60 | 14,200 |
| 30 14M 170* | 30 | 6F | ST | 133,69 | 130,99 | 138 | 187 | 202 | 100 | - | 32 | 60 | 15,600 |
| 32 14M 170* | 32 | 6F | ST | 142,60 | 139,88 | 154 | 187 | 202 | 100 | - | 32 | 60 | 18,100 |
| 34 14M 170* | 34 | 6F | ST | 151,52 | 148,79 | 160 | 187 | 202 | 100 | - | 32 | 60 | 20,400 |
| 36 14M 170* | 36 | 6F | ST | 160,43 | 157,68 | 168 | 187 | 202 | 100 | - | 32 | 70 | 23,500 |
| 38 14M 170* | 38 | 6F | ST | 169,34 | 166,60 | 183 | 187 | 202 | 120 | - | 32 | 70 | 26,500 |
| 40 14M 170* | 40 | 6F | ST | 178,25 | 175,49 | 188 | 187 | 202 | 135 | - | 32 | 85 | 30,100 |
| 44 14M 170* | 44 | 6F | ST | 196,08 | 193,28 | 211 | 187 | 202 | 140 | - | 32 | 85 | 37,800 |
| 48 14M 170* | 48 | 6F | ST | 213,90 | 211,11 | 226 | 187 | 202 | 150 | - | 32 | 85 | 44,500 |

